

## NAME

Pod::Plainer - Perl extension for converting Pod to old-style Pod.

## SYNOPSIS

```
use Pod::Plainer;

my $parser = Pod::Plainer -> new ();
$parser -> parse_from_filehandle(\*STDIN);
```

## DESCRIPTION

Pod::Plainer uses Pod::Parser which takes Pod with the (new) 'C<< .. >>' constructs and returns the old(er) style with just 'C<>'; '<' and '>' are replaced by 'E<lt>' and 'E<gt>'.

This can be used to pre-process Pod before using tools which do not recognise the new style Pods.

## METHODS

escape\_ltgt

Replace '<' and '>' by 'E<lt>' and 'E<gt>'.

simple\_delimiters

Replace delimiters by '<' and '>'.

textblock

Redefine textblock from *Pod::Parser* to use `escape_ltgt` and `simple_delimiters`.

## EXPORT

None by default.

## AUTHOR

Robin Barker, [rmbarker@cpan.org](mailto:rmbarker@cpan.org)

## SEE ALSO

See *Pod::Parser*.

## COPYRIGHT AND LICENSE

Copyright (C) 2009 by Robin Barker

This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself, either Perl version 5.10.1 or, at your option, any later version of Perl 5 you may have available.